

THERE'S YOU.

THERE'S THE SPACE AROUND YOUR HOUSE.

AND THEN THERE'S TREX®.

And with a little imagination, amazing things can happen in between.

As you'll see, Trex is more than just a creator of great decks with proprietary technology. In fact, the real possibilities begin when what you think you know turns into what you could never imagine. Tough-as-nails-boards that become a perfect bench. New tropical deck colors that practically lull landlocked homes to the water's edge. Brilliant new storage ideas for making outdoor rooms even roomier.

We're all about knowing what's next, then inspiring you to make it yours with all the colors, options and configurations your dreams can handle.

Trex. It's for the unexpected.

Even our most specific features are engineered for beautiful outdoor living.



INDUSTRY-LEADING WARRANTIES

As the leader in outdoor living, it's only fitting that our decades-long warranties outlast all others.



SHELL TECHNOLOGY

Trex decks are wrapped in a high-performance shell that resists fade, stains, mold, mildew, insects and natural weathering.



HIDDEN FASTENERS

The Trex Hideaway® Hidden Fastening System is an option with groovededge boards for perfectly consistent spacing and no visible screws on top.



ALWAYS GREEN

Our products are made from recycled materials, and our processes?

As eco-friendly as they come.

CONTENTS

WELCOME TO TREX

6-9

TREX ELEVATIONS® STEEL DECK FRAMING



TREX TRANSCEND® **DECKING & RAILING** 12-15 SYSTEM



BETTER

TREX ENHANCE® DECKING

16-17



TREX® FASCIA

26



TREX® SPIRAL STAIRS™



TREX® OUTDOORSTORAGE™



GOOD

TREX SELECT® **DECKING & RAILING** SYSTEM



TREX REVEAL® ALUMINUM RAILING & ALUMINUM GATES 20-21

TREX® OUTDOORLIGHTING™

22-23




TREX® OUTDOOR FURNITURE™



TREX® PERGOLA™

30



TREX® RAINESCAPE® DECK DRAINAGE



NEXT-LEVEL THINKING APPLIED TO BETTER **OUTDOOR LIVING**

RESOURCES & SPECS

32-43


WHY HAVE A BACKYARD DECK

when you can have a backyard masterpiece?

At Trex, we have a knack for pushing the boundaries of what's possible. In fact, we take a systematic approach that spreads our hallmark performance and beauty all around your home. Because, technically speaking, your outdoor space is more than just decking. It's also railing. And framing. Possibly a pergola. Lighting. And definitely furniture.

Your vision for your own outdoors is reflected in your every choice—right down to the handrails. So whether you're playing host or homebody, Trex makes it simple to create the kind of vision you've always had in mind. By staying ahead of the design curve, we make sure your outdoor space will wow during the day, glow bright at night and stay radiant for years to come.





Trex was built upon green principles and values, from our innovative materials to our sustainable processes. In fact, in all our years in the decking and railing business, we haven't felled a single tree. **Not one.**



Our decking, in addition to reclaimed wood and sawdust, used to be plastic packaging. (We happen to be one of the largest plastic recyclers in the U.S.) Most of our products are made almost completely from recycled materials, which means Trex saves 400 million pounds of plastic and wood from landfills each year.

Plus, Trex strives to make its proprietary manufacturing methods as green as possible. We recycle our factory refuse back into the manufacturing line, and some plant hydraulics are even powered by vegetable oil. So our decking, railing and steel deck framing contribute to LEED points on any building.

At Trex, we do the extra work to make everyone's leisure time that much more pleasurable. And we've been this way for more than 20 years—well before green was a buzzword.

Why?

Because, in the end, all of us want to look out on our decks and know that we've done our part.






All Trex decking is made from 95% recycled materials.



perfection built from the ground up



Trex Elevations® Steel Deck Support Posts are manufactured and sold by M. Cohen and Sons, Inc., d/b/a/ The Iron Shop, under a Trademark License Agreement with Trex Company, Inc. Warranty provided by manufacturer.

When you daydream about your dream deck, chances are you haven't given much thought to what lies beneath it. Even though your deck's substructure may not make the family photos, it's actually the most important part of your new outdoor space. Trex Elevations®, our system of durable, triple-coated steel beams, joists and tracks, creates the strongest, straightest and, yes, greenest structures down below.

High performance

- » Triple-coated steel offers consistency, durability and reliability that other materials can't
- » Rot- and termite-proof steel lasts much longer than wood
- » Non-combustible material with a Class 1A fire rating offers peace of mind
- » Rigorously tested for safety and chemical-free, unlike pressure-treated lumber
- » CCRR-0186 code compliance research report approves Trex Elevations for exterior use



Perennial beauty

- » Precision engineering ensures surfaces remain flat over time
- » Unparalleled strength enables cantilevers and dramatic curved deck designs
- » Neutral finish blends with most decking colors making the substructure less visible from above
- » Longer spans allow for fewer posts and less obstructed views
- » Consistent dimensions mean a level run from house to edge

Trex through and through


- » Contains a minimum of 25% recycled steel and is a 100% renewable resource
- » Works beautifully with the Trex RainEscape drainage system
- » Backed by the Trex 25-Year Limited Residential Warranty


Think about it: if you're going to invest in a long-lasting deck, don't you want its support to last just as long?

THE OVERACHIEVER DOWN UNDER

Wood framing splits, warps and shifts over time, leading to an uneven surface that is echoed in the deck boards above. The dimensionally stable steel of Trex Elevations stays in place, giving you consistently flat decking.

To watch a video demonstration, visit trex.com






Due to increased risk of corrosion, Trex Elevations may not be installed (1) within 3,000 ft (914.4 m) of any body of salt water or (2) under the surface or within the splash zone of any body of fresh water. Any such installations shall void the Trex Limited Warranty.



outperforms, outlasts, outdecks all others



With a tough-as-nails protective shell, unrivaled low maintenance and wood-grain beauty to match, the one and only Transcend® decking is the ultimate expression of form and function. Pair it with our Transcend railing and you have an unmatched outdoor experience. Together they offer tons of design options, enabling you to put your signature on your outdoor living space with our signature luxury line.



UNPARALLELED BEAUTY

With high-traffic technology and a natural-looking wood-grain finish, Transcend decking is specially designed to look ageless—even decades after it is installed. Featuring rich, nature-inspired colors, our decking pairs seamlessly with our railing options to culminate in the deckscape of your dreams.

HASSLE FREE

No sanding. No staining. No painting.

No kidding. In fact, the only major piece of maintenance your Transcend decking and railing require is washing with soap and water or a pressure washer,* compliments of the protective Transcend shell technology.

FADE, STAIN, SCRATCH AND MOLD RESISTANT

Mother Nature's worst continues to bring out our best. Whether a nasty Nor'easter or a scorching Arizona summer, Transcend maintains its vibrant color and luxurious finish. Same goes for man-made disasters. Wet planter pots, red-wine rings and dragged chaise lounges are no match for the Transcend fade-, stain-, scratch- and mold-resistant shell.

EARTH FRIENDLY

Transcend decking is made from 95% recycled materials, from reclaimed wood and sawdust to plastic packaging. And our railing contains at least 40% recycled material.



Like what you don't see? Trex Hideaway Hidden Fasteners are sub-surface clips that install our decking boards without traditional deck screws, leaving only a smooth, unfettered finish behind.

* See Care & Cleaning Guide at trex.com

Trex Transcend



TRANSCEND DECKING

High performance

- » Engineered with unrivaled fade, stain, scratch and mold resistance
- » Hassle-free maintenance takes the work out of the weekend

Perennial beauty

- » Designed in a range of rich colors with a natural-looking
- » Available in two distinctive styles—premium tropical colors and rich classic earth tones
- » Pairs with Trex Transcend railing in coordinating colors, plus Classic White and Charcoal Black

Trex through and through

- » Made from 95% recycled materials
- » Backed by the industry-leading Trex 25-Year Limited Residential Fade & Stain Warranty

TRANSCEND RAILING

High performance

- » Stands firm with a strong, sturdy look and feel
- » Built with the same incredible durability as Transcend decking-won't rot, warp or splinter

Perennial beauty

- » Modular components let you mix and match your customized look with any Trex railing line
- » Pairs perfectly with Transcend decking—also compatible with any decking line

Trex through and through

- » Contains a minimum of 40% recycled material
- » Backed by the Trex 25-Year Limited Residential Warranty

transcend with flying colors

DECKING

PREMIUM TROPICAL COLORS

Spiced Rum





















Gravel Path

Tropical colors are also available in a 2x6 profile



Tiki Torch

GET THE FLOORING LOOK

As an alternative to our traditional deck board, we offer an indoor-style, slanted groove porch board for a virtually gap-free look. Porch boards are available in Gravel Path & Spiced Rum.

RAILING



Trex Enhance

even comfort has a cutting edge



Enhance® is our low-maintenance composite that offers all the charm and none of the trouble of real wood. With its high-definition grain pattern and hidden fasteners, Enhance features a rich, sophisticated finish at a value that only adds to its appeal.

High performance

- » High-performance shell is fade, stain and mold resistant
- » Cleans easily with just soap and water or a pressure washer*
- » Soft, splinter-free finish is comfortable underfoot

Perennial beauty


- » Versatile colors feature a refined wood grain that adds depth and luxury
- » Pairs beautifully with all Trex railing lines try either a one-color look or a completely unique mix

Trex through and through

- » 95% recycled plastic, wood and sawdust keeps it green
- » Backed by the industry-leading Trex 25-Year Limited Residential Fade & Stain Warranty









COMPATIBLE WITH ALL TREX RAILING

No outdoor living space is complete without railing that perfectly captures its surroundings. Enhance decks mix and match with all of our Trex railing lines. For complementary styles that will gain you plenty of compliments, check out trex.com for railing pairing suggestions.

UNFETTERED FINISH WITH TREX HIDEAWAY HIDDEN FASTENING SYSTEM

The innovative Trex Hideaway Universal Fasteners are an option with grooved-edge boards for perfectly consistent spacing and no visible screws on top.

EARTH FRIENDLY

We don't harvest rainforests to make Trex. In fact, we've never even chopped down a single tree. Enhance decking is made from recycled materials, from reclaimed wood and sawdust to plastic packaging.




For easier cutting, try Trex Blade™, the first saw blade specially designed for composite decking materials. You'll get cleaner cuts with no swirl marks and a longer cutting life.

* See Care & Cleaning Guide at trex.com



it's Trex, simplified





TREX SELECT DECKING

High performance

- » Stands up to both weather and weekend mishaps alike, thanks to its exclusive Trex shell
- » Cleans easily with just soap and water or a pressure washer*
- » Resists stains and mold better than early-generation composites

Perennial beauty

- » Easygoing colors pair smartly with any style home
- » Offers a soft, splinter-free finish that's comfortable underfoot

Trex through and through

» Backed by the industry-leading Trex 25-Year Limited Residential Fade & Stain Warranty

Saddle

TREX SELECT RAILING

High performance

- » Won't warp, rot or splinter
- » Never needs painting or staining
- » Installs easily and quickly with an external bracket system

Perennial beauty

- » Mix and match Classic White rails and balusters with Trex post sleeves, post sleeve caps and post sleeve skirts in any of our seven colors
- » Versatile white complements any decking or house color to create luxe outdoor living spaces

Trex through and through


- $\,{\rm \hspace{-0.5em} \boldsymbol{\scriptscriptstyle P}}\,$ Designed for the DIY homeowner
- » Contains a minimum of 40% recycled material
- » Backed by the Trex 25-Year Limited Residential Warranty

With such an easy design scheme, Trex Select® decking and railing adds our legendary luxury to your home more affordably than ever. While Trex Select decking features our hallmark high-performance shell technology and nature-inspired colors, the complementary white railing is a simple solution for a clean finish. Now more than ever, you can complete your high-caliber outdoor living system without compromise.



Winchester Grey






Railing in Classic White

* See Care & Cleaning Guide at trex.com



minimalist style, maximum strength



Whether your favorite view is the city skyline, purple mountain majesties or galaxies far, far away, Trex Reveal® aluminum railing makes it a sight to behold. Sleek and minimalist, Reveal is specially crafted to complete your deck while emphasizing the view beyond it. Reveal is hallmark Trex, with sleek-yet-sturdy construction that easily spans long lengths for panoramic stretches. It can also be used across the entire Trex decking line, giving you a perfect stylistic alternative to pair with the deck of your dreams.



High performance

- » Aluminum possesses unparalleled strength with minimal geometry
- » Powder coating allows the aluminum to retain color and resist corrosion
- » Washes clean with soap and water for low maintenance
- » Offered with an array of bracket options for easy installation

Perennial beauty

- » Perfect for a sleek, contemporary aesthetic in any setting
- » Increases visibility to maximize scenic views
- » Monochromatic design works with all types of projects
- » Two baluster options (square and round) and two post choices (aluminum posts and composite post sleeves) available
- » Over-the-post option creates a continuously graspable handrail

Trex through and through


- » Compatible with all Trex decking lines—not to mention stone patios, concrete porches and more
- » Backed by the Trex Reveal Railing Limited Warranty*
- » Contains a minimum of 40% recycled aluminum, a 100% renewable resource




THE STRENGTH OF TREX REVEAL—NOW IN A GATE

Designed to work with all Trex railing,
Trex aluminum gates offer an extra level of
safety and strength, so your whole family
can enjoy time on the deck.

- » Welded panel with slide-on posts makes installation fast and flexible
- » Customizable width to fit almost any opening maximum opening is 48"
- » Superior adjustable hinges and locking latch
- » Design options include three colors and two baluster profiles: Charcoal Black, Bronze and Classic White; and square and round balusters






Classic White

* See warranty at trex.com

Trex Outdoor Lighting

the bright idea



With the right light, you can take any outdoor space from invisible to inviting. That's why Trex has expanded our lighting offering to cover the whole landscape. Trex® OutdoorLighting™ enhances curb appeal with energy-efficient illumination that makes for safer nighttime strolls and impressive deckside ambience. Best of all, the lights install in a snap and disappear into their surroundings for a truly sophisticated look.

High performance

- » Energy-efficient Cree® LEDs give off long-lasting illumination
- » Dimmable glow matches the mood of any outdoor party or dinner
- » Remains weather-proof and salt air resistant in the toughest climates
- » Offers total lighting control via timer and optional dimmer with remote

Perennial beauty

- » Sophisticated fixtures create custom lighting effects and designs
- » Ambient light improves the safety of paths and stairways
- » Out of sight during the day, beautiful light every night
- » Available in a variety of colors to complement any outdoor space

Trex through and through

- » Part of a complete Trex package
- » Trex LightHub® connection system makes set-up a snap for DIYers
- » Lighting builds into new decks and landscaping or retrofits into existing spaces
- » Keeps things green with 75% less energy usage than traditional incandescent lighting
- » Protected under warranty for years of outdoor use*

Both deck lighting and landscape lighting are compatible with the Trex LightHub connection system—a simple way to set up and control your lights.

DECK LIGHTING









LANDSCAPE LIGHTING







CREE .


































- 2 Start with Transcend decking in tropical Havana Gold, add some ice, trash and storage bins from our Outdoor Storage line, then finish with a flatscreen and Outdoor Furniture, and poof: it's the neighborhood it-spot.
- 3 Sometimes all a deck needs is a little wayfinding. Our easily installed stair riser lights answer the call on these dramatically curved beauties.
- 4 Transcend decking in Island Mist introduces an entirely new and sophisticated neutral to ou luxe tropical palette.
- 5 When Paul Lafrance is on the job, you know he's making a custom bar finished in fascia that matches the decking in both color and durability. Here, our tropical Tiki Torch provides ample inspiration.

- 6 The subtle illumination of our post cap lights, here in Classic White, kicks off a whole portfolio of Trex Outdoor Lighting options for both decks and landscapes alike.
- handle the withering seaside weather, so can our Outdoor Furniture lines and railing too, like our Transcend in Classic White with view-worthy glass panels.
- systems, creative builders like Paul Lafrance create their own from nearly impenetrable Trex Fascia.
- 9 Durable Trex Reveal railing looks sharp in bronze and is always up to double as a towel rack.
- 10 When our railing harmonizes with our decking, it's a beautiful view from every angle. Here, Transcend railin, with a Vintage Lantern hand rail follows suit with a matching deck border and T Torch decking.

- 11 Drama? Yes please. All 18 Trex deck colors inspire innumerable combinations for borders, monograms and intarsia patterns. Rope Swing and Spiced Rum make an impressive match.
- 12 Your nap—on a bench made of Trex Transcend decl boards, no less—suddenly needs a little afghan? Our new OutdoorStorage under cabinets hold everything you don't feel like walking inside to grab.
- 13 The cool grey tones of this low-slung Transcend deck i Gravel Path give it a fiercel modern edge.
- appearance of tropic; hardwood, Transcend decking in Havana Go evokes the tropics no matter how far inland


A STATE OF THE PARTY OF THE PAR



FASCIA

Trex Fascia

we have the edge on your deck



A SPECTRUM OF COLORS TO MATCH YOUR TREX DECKING



Universal Fascia

TrexTrim™ Smooth White

Put the finishing touch on your deck design with fascia and riser boards that match the entire high-performing Trex lineup.



High performance

- » Low maintenance, with no sanding, staining or painting required
- » Superior resistance to fade, stains, rot, mold and termites*
- » Impact resistant for long-lasting beauty

Perennial beauty

- » Premium design matches any composite, wood or PVC decking
- » Trex Universal Fascia in White matches practically everything
- » Color fascia matches each Trex decking line: Transcend, Enhance and Select

Trex through and through

- » Constructed from 95% recycled materials*
- » Backed by the industry-leading Trex 25-Year Limited Residential Fade & Stain Warranty*
- » Adds sophistication and value to your property

Trex Spiral Stairs

step up and stand out

Engineered to last, Trex® Spiral Stairs™ offer all of the space-saving advantages of traditional spiral staircases but with Trex signature style, strength and simplicity. And with a range of design options—like two material choices and custom, high-performance composite treads—the Trex Spiral Stairs system is the ultimate staircase alternative.



High performance

SPIRAL STAIRS

- » Strong and stable design maximizes tight outdoor spaces
- » Modular components make transport and installation easy
- » Assembles as a complete system with railing and supports included
- » Superior protection against the elements

Perennial beauty

- » Step treads can be capped with Trex high-performance composite to match your deck's color perfectly
- » Low maintenance with no painting necessary
- » Available in powder-coated aluminum in a range of colors or galvanized steel

Trex through and through

- » Made from up to 60% recycled materials
- » Non-combustible material offers peace of mind
- » Integrates easily with Trex OutdoorLighting riser lights
- » Backed by a 25-Year Manufacturer's Warranty*



^{*}Trex® Spiral Stairs™ are manufactured and sold by M. Cohen and Sons, Inc., d/b/a/ The Iron Shop, under a Trademark License Agreement with Trex Company, Inc. Warranty provided by manufacturer.

STORAGE **FURNITURE**

Trex OutdoorStorage

hide and chic

High performance

- » Engineered to withstand the elements and resist corrosion
- » Made with high-density, low-maintenance resin that won't warp or crack
- » Made from 100% waterproof material

Perennial beauty

- » Natural-looking detailing, inspired by
- » Customize the look with marble, granite or stone tops (purchased separately)

Trex through and through

- » Comes in all Trex Transcend colors to impeccably match your deck
- » Available in a wide variety of sizes and storage options

Mix the comforts of your indoor space with the natural beauty of your outdoor space. With Trex[®] Outdoor Storage™, add undeniable style and utility to your yard with storage that's easily matched to your deck and customized for your needs. From hidden ice drawers for a cool lemonade to drawer boxes for the kids' baseball gear, our storage solutions maximize your space by giving you extra room for all your backyard essentials.



Trex Outdoor Furniture

deep-seated beauty



It's luxury, squared: comfortable, durable, sustainable furniture in a variety of styles and colors that coordinate with our decking and railing. Each piece features an ergonomic design superbly crafted with a splinter-free finish for smooth, elegant ease. Plus, true to form, 90% of Trex[®] Outdoor Furniture™ comes from recycled material. So it's used to being one with nature.

High performance

- » No staining, sealing, painting or refinishing—ever
- » Laughs off brutal sunbake and ignores withering salt spray
- » Stain-, spill- and rot-proof too

Perennial beauty

- » Distinctive colors you can mix and match with any decking or patio hardscape
- » Boasts ergonomic design and a splinter-free finish for all-day comfort
- » Colorful Sunbrella® cushions and pillows add flourish to
- » Signature Trex curves coordinate beautifully with our decks

Trex through and through

- » Unique signature designs, exclusive to Trex
- » Over 90% recycled materials keep things one with nature
- » Five-Year Limited Warranty means guaranteed weatherproofing*
- » The only Trex you get to keep when you move



Sunbrella® is a registered trademark of Glen Raven, Inc.

*Trex® Outdoor Furniture™ products are manufactured and sold by Poly-Wood, Inc. under a Trademark License Agreement with Trex Company, Inc. Five-Year Limited Warranty provided by manufacturer.

PERGOLA DRAINAGE

Trex Pergola

above and beyond



Trex[®] Pergola[™] keeps outdoor living from feeling so...outdoors. Add a customizable pergola to your sun-soaked space and get a shady, sturdy retreat that won't crack, rot or chalk—virtually upkeep-free.

Trex Pergola in Tree House & Vintage Lantern

also featuring: Trex Outdoor Furniture

and Trex Outdoor Lighting





High performance

- » Resists rot, splitting, chalking and insects
- » Engineered to withstand winds up to 160 mph
- » Easy-to-install kits come complete with hardware and instructions

Perennial beauty

- » Premium designs in a wide range of options and customizable sizes, including round or square columns
- » Match your pergola to your deck with our signature Trex colors or create a custom color
- » Add a canopy for additional shade or rain protection
- » Available in attachable or free-standing profiles

Trex through and through

- » Backed by a Limited Manufacturer Warranty*
- » Built for the do-it-yourselfer or easily installed by
- » Get integrated illumination for your pergola with Trex OutdoorLighting



outwits the elements



The unique Trex® RainEscape® under-deck drainage system keeps rain, spills and snow melt from dripping through the decking boards above, creating a dry room below.

High performance

- » Clever trough system whisks water out through its own gutters
- » No leaks, no sitting water
- » Installs easily with utility knife, staple gun and caulk

Perennial beauty

- » Invisible channeling system installs between an upstairs deck and downstairs
- » Enables the worry-free outfitting of entertainment systems, speakers and lighting

Trex through and through

- » Compatible with Trex Elevations
- » Backed by an industry-leading 20-Year Limited Residential Warranty*







^{*}Trex® RainEscape® products are manufactured and sold by Dri-Deck Enterprises, LLC under a Trademark License Agreement with Trex Company, Inc. RainEscape® is a federally registered trademark of Dri-Deck Enterprises, LLC. A 20-Year Limited Warranty is provided by the manufacturer.



resources

THE NEXT STEP? WALKING ONTO YOUR NEW DECK.

You've seen what's possible with Trex. Now let's figure out how we can help you make it happen.

FIRST COMES VIRTUAL REALITY. THEN REALITY REALITY.

Start with our online resources. You'll find useful tools and features to help make your outdoor-living visions see the light of day—including an iPad app you can use to design your deck. Download and start dreaming.



GET A DIGITAL ESTIMATE

Using the Trex Cost Calculator, you can select all the particulars for your decking project and get a custom estimate. Adjust as needed to find the right fit for your budget.

FIND A TREXPRO

We offer the largest nationwide network of TrexPro independent contractors. They not only know our products inside and out and have vast experience on the finer points of installation, they also can provide invaluable insight. To help find a contractor near you and see customer reviews, visit trex.com.

DIY, TOGETHER

Trex has always felt a kinship with the independent minded, which is just one of the reasons we've designed our projects to be easy to install. If you can work with wood, you'll love working with Trex. That said, there are many questions—from time commitments to zoning issues—you need to address before you decide to go it alone. To get started on your project, consult our online questionnaire.

Find all this and more at **trex.com**. And should you need us, we're always available at 1-800-BUY-TREX or question@trex.com

Trex Elevations

COMPONENT		DESCRIPTION	ITEM NUMBER
Track		1-1/4" x 8" x 12'—Track 1-1/4" x 8" x 16'—Track 1-1/4" x 8" x 20'—Track	CG0Q0812ET60 CG0Q0816ET60 CG0Q0820ET60
Beam		2" x 8" x 12'—Beam 2" x 8" x 16'—Beam 2" x 8" x 20'—Beam	CG020812EB20 CG020816EB20 CG020820EB20
Joist		1-5/8" x 8" x 8" — Joist 1-5/8" x 8" x 9" — Joist 1-5/8" x 8" x 10' — Joist 1-5/8" x 8" x 11' — Joist 1-5/8" x 8" x 12' — Joist 1-5/8" x 8" x 12' — Joist 1-5/8" x 8" x 13' — Joist 1-5/8" x 8" x 14' — Joist 1-5/8" x 8" x 15' — Joist 1-5/8" x 8" x 16' — Joist 1-5/8" x 8" x 17' — Joist 1-5/8" x 8" x 18' — Joist 1-5/8" x 8" x 19' — Joist 1-5/8" x 8" x 19' — Joist 1-5/8" x 8" x 20' — Joist	CG020808EJ50 CG020809EJ50 CG020810EJ50 CG020811EJ50 CG020812EJ50 CG020813EJ50 CG020814EJ50 CG020815EJ50 CG020816EJ50 CG020817EJ50 CG020818EJ50 CG020819EJ50 CG020819EJ50
Beam End Cap		2-1/8" x 8-1/8"—Beam End Cap (40/box)	ELVENDCAP40
Adjustable Mid-Span Block		10 sets	ELVMIDSPANBLOCK
Adjustable Beam Block		10 sets	ELVBEAMBLOCK
Deck Support Post		3-1/2" x 3-1/2" x 10'—Deck Support Post 5-1/2" x 5-1/2" x 10'—Deck Support Post	www.trexdeckpost.com
Elevations Universal Connector Clip (glass-filled nylon)	-	50 sq. ft. (4.6 sq. m) box	ELVUNIVCLIP
Elevations Start Clip (stainless steel)		400 sq. ft. (37.2 sq. m) bag	ELVSTARTCLIP
C B	A. Beam	Trex Elevations	I II

B. Joist

C. Track (Ledger)

D. Deck Support Post

Trex Elevations
Approved Spray Paint

Quest Specialty Chemicals Raabe Color-Match Paint


To order, call 1-800-966-7580



32

Trex Decking, Porch Flooring & Fascia

PROFILE		DESC	RIPTION	ITEM NUMBER	COLORS
1" Square Edge Board [1" x 5.5" (25 mm x 140 mm) actual dimensions] [.875" x 5.5" (22 mm x 140 mm) Select actual dimensions]		1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Transcend Transcend	XX010612TS48 XX010616TS48 XX010620TS48	HG, IM, LR, SR, TT, FP, GP, RS, TH, VL
[SIGNAL (ELIMINATION IN) CONCRETE CONTROL (ELIMINATION IN) CONTROL (ELIMINATION I	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Enhance Enhance	XX010612ES48 XX010616ES48 XX010620ES48	BD, CS, SD	
		7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select	XX010612SS64 XX010616SS64 XX010620SS64	MB, PG, SD, WG, WB
1" Grooved Edge Board [1" x 5.5" (25 mm x 140 mm) actual dimensions] [.875" x 5.5" (22 mm x 140 mm) Select actual dimensions]		1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Transcend Transcend	XX010612TG48 XX010616TG48 XX010620TG48	HG, IM, LR, SR, TT, FP, GP, RS, TH, VL
		1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Enhance Enhance	XX010612EG48 XX010616EG48 XX010620EG48	BD, CS, SD
		7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select	XX010612SG64 XX010616SG64 XX010620SG64	MB, PG, SD, WG, WB
1" Grooved Porch Floor Board [1" \times 4.25" (25 mm \times 108 mm) actual face dimensions; 1" \times 4.5" (25 mm \times 114 mm) actual overall dimensions] Can also be used for decking applications.		1 x 4.5 x 12' 1 x 4.5 x 16'	Transcend Porch Transcend Porch	XX010512TP60 XX010516TP60	GP, SR
1" x 8" Fascia [.75" x 7.25" x 12' (19 mm x 184 mm x 3.66 m) actual dimensions; .75" x 7.25" x 18' (19 mm x 184 mm x 5.49 m) actual dimensions]		1 x 8 x 12' 1 x 8 x 18'	Transcend Enhance Select Universal White TrexTrim	XX010812TS60 XX010812ES60 XX010812SS60 WW010812ES60 WT010818B	HG, IM, LR, SR, TT, FP, GP, RS, TH, VL BD, CS, SD MB, PG, SD, WG, WB WOOD GRAIN WHITE SMOOTH WHITE
1" x 12" Fascia [.75" x 11.25" x 12' (19 mm x 286 mm x 3.66 m) actual dimensions]		1 x 12 x 12' 1 x 12 x 12'	Transcend Enhance Select Universal White TrexTrim	XX011212TS40 XX011212ES40 XX011212SS40 WW011212ES40 WT011212B24	HG, IM, LR, SR, TT, FP, GP, RS, TH, VL BD, CS, SD MB, PG, SD, WG, WB WOOD GRAIN WHITE SMOOTH WHITE
2" Square Edge Board		2 x 4 x 16'	Transcend	XX020416TS48	FP, GP, TH, VL
[actual dimensions: Transcend 2x4: 1.375" x 3.5" (35 mm x 89 mm) Transcend 2x6: 1.375" x 5.5" (35 mm x 140 mm)		2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Transcend Transcend Transcend	XX020612TS32 XX020616TS32 XX020620TS32	HG, IM, LR, SR, TT
Select 2x6: 1.375" x 5.5" (35 mm x 140 mm)]		2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Select Select Select	XX020612SS32 XX020616SS32 XX020620SS32	MB, PG, SD, WB
HG Havana Gold XX = COLOR PREFIX: IM Island Mist LR Lava Rock	SR Spiced Rum TT Tiki Torch FP Fire Pit	GP Gravel Pat RS Rope Swir TH Tree Hous	ng MB Madei		e BD Beach Dune ester Grey CS Clam Shell and Brown
TREX HIDEAWAY HIDDEN FASTENING SYSTEM			DESCRIPTI	ION	ITEM NUMBER
Connector Clip (stainless steel) Gun Pail			6.5 m²) bucket	collated pneumatic screws	CONNECTCLIP CLIPPAIL GUNCLIP
Start Clip (stainless steel)	Start Clip (stainless steel)		400 sq. ft. (37 m²) bag		STARTERCLIP
Universal Starter Clip	Universal Starter Clip		400 sq. ft. (37 m²) bag		UNIVSTARTCLIP
Universal Fastener (glass-filled nylon)	Universal Fastener (glass-filled nylon)		50 sq. ft. (4.6 m²) box 500 sq. ft. (46.5 m²) bucket		UNIVCONCLIP DA00002
Router Bit		Router Bit			ROUTBIT



Trex Post Sleeves, Caps & Skirts

O These components can be used as steps 1 & 2 for all Trex railing lines.

STEP		COMPONENT	DESCRIPTION	ITEM NUMBER
1	Post Sleeve		4" x 4" x 39" Post Sleeve [4.45" x 4.45" x 40" (113 mm x 113 mm x 1016 mm) external dimensions] 4" x 4" x 108" Post Sleeve [4.45" x 4.45" x 108" (113 mm x 113 mm x 2743 mm) external dimensions]	XX040439APS XX0404108APS
	nd 6x6 post sleeve fits over a eated post or equivalent post		6" x 6" x 39" Post Sleeve [5.5" x 5.5" x 39" (140 mm x 140 mm x 991 mm) external dimensions] 6" x 6" x 108" Post Sleeve [5.5" x 5.5" x 108" (140 mm x 140 mm x 2743 mm) external dimensions]	WT060639APS WT0606108APS
2 a	Post Sleeve C	ар	Flat 4" x 4" Post Sleeve Cap (12/box) Pyramid 4" x 4" Post Sleeve Cap (12/box) [4.55" x 4.55" (114 mm x 114 mm) internal dimensions]	XXSQCAP4X4 XXPYCAP4X4
Also availab	ole with LED lighting. See pag	ge 39.	Flat 6" x 6" Post Sleeve Cap (12/box) Pyramid 6" x 6" Post Sleeve Cap (12/box) [5.6" x 5.6" (142 mm x 142 mm) internal dimensions]	WTSQCAP6X6 WTPYCAP6X6
2 b	Post Sleeve S	kirt	4" x 4" Post Sleeve Skirt (12/box) [4.55" x 4.55" (114 mm x 114 mm) internal dimensions] 6" x 6" Post Sleeve Skirt (12/box) [5.6" x 5.6" (142 mm x 142 mm) internal dimensions]	XXSKIRT4X4 WTSKIRT6X6
ACCESSORY	Post Mount		Post Surface Mount for 36" (914 mm) Rail Height (1/box) Post Surface Mount for 42" (1067 mm) Rail Height (1/box) Post Surface Mount Hardware—Concrete (10 kits/box) Post Surface Mount Hardware—Wood (10 kits/box)	POSTMOUNT36 POSTMOUNT42 POSTHDWCONC POSTHDWWOOD
ACCESSORY	Foot Block	1	Adjustable Foot Blocks (50/box)—White Adjustable Foot Blocks (50/box)—Colored	RWFTBLK XXFTBLK
XX = CO	DLOR PREFIX:	WT Classic White FP Fire Pit BK Charcoal Black GP Gravel Pa	RS Rope Swing VL Vintage Lantern ith TH Tree House	

Trex Transcend Railing

• Transcend is either a 5-step or 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2). Then choose each component separately for a custom design (5-step).

STEP	COMPONENT	DESCRIPTION	ITEM NUMBE
3 a	Top & Bottom Rails In this step, two rails (1 top, 1 bottom) must be selected.	6' Crown Top Rail 8' Crown Top Rail	XXCROWNTR06 XXCROWNTR08
3b		6' Universal Top/Bottom Rail 8' Universal Top/Bottom Rail [6' Rail: 67.5" (1715 mm) actual length; 8' Rail: 91.5" (2324 mm) actual length]	XXUNIVTBR06 XXUNIVTBR08
	Crown Universal		
	Balusters/Spindles	Square Balusters for 36" Rail Height (16/pack) [1.418" x 1.418" x 30.375" (36 mm x 36 mm x 772 mm) actual dimensions]	XX020230SBK
4	See chart below for number of balusters needed to complete each railing section.	Square Balusters for 42" Rail Height (16/pack) [1.418" x 1.418" x 36.375" (36 mm x 36 mm x 924 mm) actual dimensions]	XX020236SBK
	notice to complete cash name grooten.	Colonial Spindles for 36" Rail Height (16/pack) [1.418" x 1.418" x 30.375" (36 mm x 36 mm x 772 mm) actual dimensions]	WT020230CSP
SALUSTER TYPE	PER 6' PER 8' E SECTION SECTION	Colonial Spindles for 42" Rail Height (16/pack) [1.418" x 1.418" x 36.375" (36 mm x 36 mm x 924 mm) actual dimensions]	WT020236CSP
quare & Colonia	al (Horizontal application) 13 18	Round Aluminum Balusters for 36" Rail Height (20/pack) [.75" x 30.25" (19 mm x 768 mm) actual dimensions]	XXTA30RBK
	al (Stair application) 11 15 contal application) 15 20	Round Aluminum Balusters For 42" Rail Height (20/pack) [.75" x.36.25" (19 mm x 921 mm) actual dimensions]	XXTA36RBK
luminum (Stair i	application) 12 16	Square Aluminum Balusters for 36" Rail Height (20/pack) [.75" x 30.25" (19 mm x 768 mm) actual dimensions]	XXTA30SBK
	ters are available in Charcoal Black, d Bronze only (BK, WT, BZ).	Square Aluminum Balusters For 42" Rail Height (20/pack) [.75" x 36.25" (19 mm x 921 mm) actual dimensions]	XXTA36SBK
Accessory Infill Kit » 2 Baluster Spacers » Adjustable Foot Block	6' Accessory Infill Kit for Square/Colonial Balusters—Horizontal 6' Accessory Infill Kit for Square/Colonial Balusters—Stair 8' Accessory Infill Kit for Square/Colonial Balusters—Horizontal 8' Accessory Infill Kit for Square/Colonial Balusters—Stair	XXSQHIK06 XXSQSIK06 XXSQHIK08 XXSQSIK08	
» Mounting Hardware		6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 6' Accessory Infill Kit for Round Aluminum Balusters—Stair 8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 8' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXRDHIK06 XXRDSIK06 XXRDHIK08 XXRDSIK08
[6' Rail: 67.5" (1715 mm) actual length;	6' Accessory Infill Kit for Square Aluminum Balusters—Horizontal 6' Accessory Infill Kit for Square Aluminum Balusters—Stair 8' Accessory Infill Kit for Square Aluminum Balusters—Horizontal 8' Accessory Infill Kit for Square Aluminum Balusters—Stair	XXASBHIK06 XXASBSIK06 XXASBHIK08 XXASBSIK08	
	8' Rail: 91.5" (2324 mm) actual length]	6' Glass Panel Accessory Kit [Glass panel mounting hardware; glass panel not included]	XXGLIK06
CCESSORY	Transcend Accessories	Mounting Hardware for Cut Rails—Horizontal Mounting Hardware for Cut Rails—Stair Transport BSB Brooket Book, Horizontal (24 (box))	XXHZACCYKIT XXSTACCYKIT
All accessories include a quantity of 12 per box unless otherwise noted.	Transcend RSB Bracket Pack—Horizontal (24/box) Transcend RSB Bracket Pack—Stair (24/box) 0 Degree Rail Gasket Pack—Horizontal 0 Degree Rail Gasket Pack—Stair 22.5 Degree Gasket Pack (for Crown/Universal/Bevel) 45 Degree Birdsmouth Gasket Pack (for 4 x 4 Crown/Universal) 45 Degree Gasket Pack (for 4 x 4 or 6 x 6 Bevel) 45 Degree Gasket Pack (for 6 X 6 Crown/Universal)	TSHBRACKET TSSBRACKET XX00HGASK XX00SGASK XX22HGASK XX45RSBADAPI XX45BEVGASK WT45HGASK	

• Or simply choose a rail & baluster kit in Classic White (3-step).



Rail & Baluster Kit

- » Crown Top Rail
- » Universal Bottom Rail
- » Square Balusters
- » Baluster Spacers
- » Adjustable Foot Block
- » Mounting Hardware

Available in Classic White only.



WT0636HRK WT0636SRK
WT0836HRK

[6' Rail: 67.5" (1715 mm) actual length; 8' Rail: 91.5" (2324 mm) actual length]

Trex Select Railing

• Select is a 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2) and a rail & baluster kit (step 3).

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
3	Rail & Baluster Kit » Top Rail » Bottom Rail » Square Balusters » Adjustable Foot Block » Hardware Pack Available in Classic White only.	6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair [6' Rail: 67.5" (1715 mm) actual length; 8' Rail: 91.5" (2324 mm) actual length]	WT0636HSELK WT0636SSELK WT0836HSELK WT0836SSELK
ACCESSORY	Select Accessories	Mounting Hardware for Cut Rails—Horizontal (10 kits/box) Mounting Hardware for Cut Rails—Stair (10 kits/box) 45 Degree Adapter Kit (10 kits/box)	WTHSELCUT WTSSELCUT WTSEL45ADP

Trex Aluminum Gates


Trext / traitminant oddes			
COMPONENT	DESCRIPTION	ITEM NUMBER	
Gate Rail Kit	36" Rail Height, Square Balusters, Adjustable up to 48" wide opening	XX36SQADJGATE	
	36" Rail Height, Round Balusters, Adjustable up to 48" wide opening	XX36RDADJGATE	
Available in all Aluminum colors.	42" Rail Height, Square Balusters, Adjustable up to 48" wide opening	XX42SQADJGATE	
	42" Rail Height, Round Balusters, Adjustable up to 48" wide opening	XX42RDADJGATE	
	[Actual height 36" Rail: 36" (914mm); 42" Rail: 42" (1067mm). Actual width is 47.5" (1207mm) but can be cut to fit any width.]		
Hardware Pack	2 Adjustable Self-Closing Hinges	BKGATEHW	



Hardware for attachment to wood post with composite sleeve or aluminum posts



Trex Aluminum ADA Compliant Handrail		
COMPONENT	ITEM NUMBER	
Corner Mount	XXALADAICORNER	
Post Return ("Candy Cane")	XXALADA180CCANE	
5 Degree Elbow	XXALADA05ELB	
31 Degree Elbow	XXALADA31ELB	
34 Degree Elbow	XXALADA34ELB	
36 Degree Elbow	XXALADA36ELB	
90 Degree Elbow	XXALADA90ELB	
Collar	XXALADACLR	
Rail End Cap	XXALADACAP	
90 Degree Wall Return	XXALADA90WR	
Wall Mount	XXALADAWMNT	
4" Internal Connector	XXALINTCONN	
13/8" x 8' Hand Rail	XXALADARAIL8	





XX = COLOR PREFIX: BK Charcoal Black WT Classic White Aluminum railing has a textured finish.

Trex Reveal Aluminum Railing

• Choose either Reveal posts or Trex post sleeves, caps and skirts for steps 1 & 2. Pair with a rail & baluster kit (step 3).

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
	Aluminum Post with Cap & Skirt	2" x 2" x 37" Post w. Cap & Skirt—Horizontal	XXAL020237AP
1+2	Aluminum Crossover Post	[2" x 2" x 37" (51 mm x 51 mm x 940 mm) actual dimensions] 2" x 2" x 43" Post w. Cap & Skirt—Horizontal [2" x 2" x 43" (51 mm x 51 mm x 1092 mm) actual dimensions]	XXAL020243AP
	Reveal aluminum posts fulfill steps 1 & 2. If using Trex post sleeves, refer to page 35.	2" x 2" x 53" Post w. Cap & Skirt—Stair (cut-to-length) [2" x 2" x 53" (51 mm x 51 mm x 1346 mm) actual dimensions]	XXAL020253AP
	Aluminum posts can only be used with the Trex Reveal line.	2" x 2" x 36" Crossover Post—Horizontal (includes crossover bracket) [2" x 2" x 36" (51 mm x 51 mm x 914 mm) actual dimensions]	XXAL020236CP
		2" x 2" x 42" Crossover Post—Horizontal (includes crossover bracket) [2" x 2" x 42" (51 mm x 51 mm x 1067 mm) actual dimensions]	XXAL020242CP
		2.5" x 2.5" x 37" Post w. Cap & Skirt—Horizontal (IRC Compliant) [2.5" x 2.5" x 37" (64 mm x 64 mm x 940 mm) actual dimensions]	XXAL252537RCAP
		2.5" x 2.5" x 43" Post w. Cap & Skirt—Horizontal (IRC Compliant) [2.5" x 2.5" x 43" (64 mm x 64 mm x 1092 mm) actual dimensions]	XXAL252543RCAP
		2.5" x 2.5" x 53" Post w. Cap & Skirt—Stair (IRC Compliant) [2.5" x 2.5" x 53" (64 mm x 64 mm x 1346 mm) actual dimensions]	XXAL252553RCAP
	Aluminum Mounting Plate and Hardware	2.5" Post only	ALPOSTHWDECK
3	Rail & Baluster Kit » Top Rail » Bottom Rail » Balusters » Mounting & Support Hardware	6' x 36" Rail Kit w. Square Balusters—Horizontal 6' x 36" Rail Kit w. Square Balusters—Stair 8' x 36" Rail Kit w. Square Balusters—Horizontal 8' x 36" Rail Kit w. Square Balusters—Stair 6' x 42" Rail Kit w. Square Balusters—Horizontal 6' x 42" Rail Kit w. Square Balusters—Stair 8' x 42" Rail Kit w. Square Balusters—Horizontal 8' x 42" Rail Kit w. Square Balusters—Horizontal	XXASO636HRK XXASO636SRK XXASO836HRK XXASO836SRK XXASO642HRK XXASO642SRK XXASO842HRK XXASO842SRK
		6' x 36" Rail Kit w. Round Balusters—Horizontal 6' x 36" Rail Kit w. Round Balusters—Stair 8' x 36" Rail Kit w. Round Balusters—Horizontal 8' x 36" Rail Kit w. Round Balusters—Stair	XXAR0636HRK XXAR0636SRK XXAR0836HRK XXAR0836SRK
		6' x 42" Rail Kit w. Round Balusters—Horizontal 6' x 42" Rail Kit w. Round Balusters—Stair 8' x 42" Rail Kit w. Round Balusters—Horizontal 8' x 42" Rail Kit w. Round Balusters—Stair	XXAR0642HRK XXAR0642SRK XXAR0842HRK XXAR0842SRK
		Dimensions above are actuals. See below for metrics. [6' x 36": 72" x 36" (1829 mm x 914 mm) actual dimensions] [8' x 36": 96" x 36" (2438 mm x 914 mm) actual dimensions] [6' x 42": 72" x 42" (1829 mm x 1067 mm) actual dimensions]	
		[8 x 42": 96" x 42" (2438 mm x 1067 mm) actual dimensions]	
CCESSORY	Reveal Accessories	Fixed Bracket—Horizontal (4/pack) Fixed Bracket—Stair (4/pack) Swivel Bracket—Horizontal (2/pack-1 top, 1 bottom) Swivel Bracket—Stair (2/pack-1 top, 1 bottom) Crossover Bracket—Horizontal (1/pack) Swivel Crossover Bracket—Stair (1/pack) Compound Swivel Bracket (2/pack-1 top, 1 bottom) Aluminum Footblock Touch-up Pen	XXFHBKTAL XXFSBKTAL XXSWHBKTAL XXSWSBKTAL XXFHCBKTAL XXSWSCBKTAL XXCPDSWBKTAL XXALFTBLK XXTOUCHUPPEN

Trex OutdoorLighting

LIGHTING & DESCRIPTION ITEM NUMBER BKRDPATH2PK, BZRDPATH2PK Rounded Path Light BKSPATH2PK, BZSPATH2PK Stepped Path Light BKWELL, BZWELL Well Light BKMULTI, BZMULTI Multifunction Light BKSPOT, BZSPOT Spotlight* *Includes: 36v Step-up Transformer & Female to Female Adapter DECK LIGHTING PYRAMID CAPS FLAT CAPS Pyramid or Flat Post Cap Light

Deck Rail Light

internal dimensions]

» LED Deck Rail Light [2.75" (70 mm) OD]

LED Riser Lights

» 4 LED Riser Lights

[1.25" (32 mm) OD]

» 4" x 4" LED Post Cap Light

[4.55" x 4.55" (114 mm x 114 mm)

» 5'6" (1.68 m) Male LightHub Lead

» 5'6" (1.68 m) Male LightHub Lead



TEXTURED BRONZE: BZLAMPLEDC TEXTURED CLASSIC WHITE: WTLAMPLEDC

BKPYLEDCAP4X4C

WTPYLEDCAP4X4C

FPPYLEDCAP4X4C

THPYLEDCAP4X4C

VLPYLEDCAP4X4C GPPYLEDCAP4X4C

RSPYLEDCAP4X4C

TEXTURED CHARCOAL BLACK: BKRISERLED4PKC TEXTURED BRONZE: BZRISERLED4PKC TEXTURED CLASSIC WHITE: WTRISERLED4PKC

TEXTURED CHARCOAL BLACK: BKLAMPLEDC

BKSQLEDCAP4X4C

WTSQLEDCAP4X4C

FPSQLEDCAP4X4C

THSQLEDCAP4X4C

VLSQLEDCAP4X4C

GPSQLEDCAP4X4C

RSSQLEDCAP4X4C

Recessed Deck Lights

» 5'6" (1.68 m) Male LightHub Lead

- » 4 LED Recessed Lights [1" (25 mm) OD]
- » 5'6" (1.68 m) Male LightHub Lead



RECESSLED4PKC

Transformer with Timer

» Output Voltage: 12VDC

ACCESSORIES ······

- » Output Power: 60W or 30W
- » Output Current: 5A or 2.5A
- » Photo Activated Timer
- » 20 ft. (6.10 m) LightHub Wire Extension Cable

5-Way Transformer Splitter

Dimmer

» Single Channel with Remote

1" (25 mm) Forstner Bit—Pack of 6



5A, 60W: DLTRANSFORMER 2.5A, 30W: 25DLTRANSFORMER



DLDIMMER

DLBIT6PK

LightHub Accessories

- » 6-Way Splitter» 5 ft. (1.52 m) Wire Extension Cable
- » 10 ft. (3.05 m) Wire Extension Cable
- » 20 ft. (6.10 m) Wire Extension Cable » 40 ft. (12.2 m) Wire Extension Cable
- » 60 ft. (18.29 m) Wire Extension Cable
- » Female to Female Adapter





BZ Bronze Aluminum railing has a textured finish. XX = COLOR PREFIX: BK Charcoal Black WT Classic White

TRFX® I IMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original purchaser ("Purchaser") that, for the period of time set forth in the following sentence, under normal use and service conditions, Trex® products shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay. The term of such warranty shall be twenty-five (25) years from the date of original purchase for a residential application, and ten (10) years from the date of original purchase for a commercial application. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective item or refund the portion of the purchase price paid by Purchaser for such defective item (not including the cost of its initial installation).

Notwithstanding the foregoing, (a), the term of the warranty for the LED lights and housing for Trex[®] DeckLighting[™] shall be seven (7) years, the term of the warranty for the LED lights and housing for Trex[®] LandscapeLighting[™] shall be five (5) years, and the term of the warranty for the dimmer, timer and transformer for both shall be three (3) years, in each case provided that a Trex transformer is used (with no warranty on any components if a Trex transformer is not used), and any other parts or accessories shall not be warranted; (b) with respect to hardware for the Trex Surroundings® gate (gate frame, hinges and screws), the term of the warranty shall be five (5) years, (c) with respect to Trex Decorative Balusters, the term of the warranty covering the paint coating shall be ten (10) years, and shall be prorated in the following manner: 100% replacement for the first five (5) years; and 50% replacement for the next five (5) years, and (d) this warranty shall not apply to Trex Elevations® steel deck framing, Trex Reveal® aluminum railing and TrexTrim™ (which each have separate warranties).

For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE TREX PRODUCTS OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.
Customer Relations
160 Exeter Drive
Winchester, VA 22603-8605

Trex does not warrant against and is not responsible for, and no implied warranty shall be deemed to cover, any condition attributable to: (1) improper installation of Trex products and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of Trex products beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Trex products are installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances (such as dirt, grease, oil, etc.), or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Trex products; (6) improper handling, storage, abuse or neglect of Trex products by Purchaser, the transferee or third parties; or (7) ordinary wear and tear.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY WITH RESPECT TO DEFECTIVE PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province

Copyright © 2014 Trex Company, Inc.

TREX TRANSCEND®, TREX ENHANCE®, TREX SELECT® AND TREX® UNIVERSAL FASCIA LIMITED FADE & STAIN WARRANTY

For the term set forth below, Trex Company, Inc. (hereinafter "Trex") warrants to the original end-user purchaser (the "Purchaser") that Trex Transcend® decking, porch or fascia, Trex Enhance® decking or fascia, Trex Select® decking or fascia or Trex Universal Fascia, as the case may be (the "Product") will perform, under normal use and service conditions, as follows:

Term of Warranty: The term of this warranty shall begin on the date of original purchase, and shall end (1) twenty-five (25) years thereafter for a residential application of the Product, and (2) ten (10) years thereafter for a commercial application of the Product.

Residential/Commercial Application: For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

Fade Resistance: The Product shall not fade in color from light and weathering exposure as measured by color change of more than 5 Delta E (CIE) units.

The Product is designed to resist fading. No material is fade proof when exposed to years of UV exposure and the elements. The Product is designed to resist fading, and will not in any event fade by more than 5 Delta E (CIE) units.

Stain Resistance: The Product shall be resistant to permanent staining resulting from spills of food and beverage items including ketchup, mustard, salad oils, tea, wine, coffee, fruit punch, barbeque sauce, grease, sodas and other food and beverage related items that would typically be present on a residential deck, or mold and mildew naturally occurring in the environment, provided that such substances are removed from the Product with soap and water or mild household cleaners within one (1) week of exposure of the food or beverage to the surface or first appearance of the mold and mildew.

Notwithstanding the foregoing, Trex does not warrant that the Product is stain-proof, and does not warrant stain resistance resulting from spilled or otherwise applied food and beverage substances which are not properly cleaned as provided above within one (1) week of exposure. In addition, materials not covered in the stain resistant warranty include abrasive compounds of acidic or basic pH, paints or stains, strong solvents, metallic rust or other abnormal deck use items, and non-food and non-beverage substances, including but not limited to, biocides, fungicides, plant food, or bactericides. Mold and mildew can settle and grow on any outdoor surface, including this Product. You should periodically clean your deck to remove dirt and pollen that can feed mold and mildew. This warranty does not cover mold and mildew which is not properly cleaned as provided above within one (1) week of first appearance.

Standard Trex Company Limited Warranty: This warranty is in addition to the standard Trex Company Limited Warranty that applies to all Trex products.

Transferability: With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

EXCLUSIONS FROM WARRANTY COVERAGE:

Exposure to Heat: Direct or indirect contact with extreme heat sources (over 275 degrees) may cause fading and may damage the surface of the Product, and any effects of such exposure are expressly excluded from coverage under this warranty.

Surface Damage: Never use metal shovels or sharp-edged tools to remove snow and ice on the surface of the Product. If the surface of the Product is damaged or punctured, this warranty will be voided.

Paint or Other Materials Applied to the Product: If paint or other coating materials are applied to the Product, this warranty will be voided.

Railing: This warranty does not cover Trex Transcend® or Trex Select® railing components.

Other Exclusions: This warranty shall not cover any condition attributable to: (1) improper installation of the Product and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of the Product beyond normal use or service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.); (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; (6) any fading or staining not on the walking surface of the Product (i.e., the underside or the ends of the Product); or (7) ordinary wear and tear.

Procedure for Making a Claim under this Warranty

In order to make a claim under this warranty, Purchaser must do the following:

1. If the Purchaser is making a claim relating to the warranty on stain resistance, Purchaser must do as follows:

(a) Purchaser must try to clean the affected area of the deck by using the cleaning procedures described above within one (1) week of exposure of the food or beverage to the Product or first appearance of the mold and mildew.

(b) If the affected area remains reasonably unsatisfactory after Purchaser has tried these cleaning procedures, then Purchaser must have the affected area of the deck professionally cleaned at Purchaser's expense.

(c) If the affected area remains reasonably unsatisfactory after the professional cleaning. Purchaser may make a claim under this warranty, provided that such claim is made within thirty (30) days after the professional cleaning.

2. To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description and photographs of the affected area of the Product, proof of purchase, and if the claim relates to the warranty on stain resistance, proof of compliance with paragraph 1. above, to the following address:

Trex Company, Inc. Customer Relations 160 Exeter Drive Winchester, VA 22603-8605 3. Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either replace the affected item or refund the portion of the purchase price paid by Purchaser for such affected item (not including the cost of its initial installation). Replacement material will be provided that is as close as possible in color, design and quality as the replaced material, but Trex does not guarantee an exact match as colors and design may change.

4. If a valid warranty claim hereunder is made during years eleven (11) through twenty-five (25) after the original purchase for a residential application, recovery will be prorated. If Trex is providing replacement materials, it may elect to replace the percentage listed below of boards otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below of the purchase price of boards otherwise meeting the requirements for a claim.

•••••	***************************************
YEAR OF WARRANTY CLAIM	PERCENTAGE RECOVERY
11	80%
12	80%
13	80%
14	60%
15	60%
16	60%
17	40%
18	40%
19	40%
20	20%
21	20%
22	20%
23	10%
24	10%
25	10%

5. THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECTTO THE REMOVAL OF AFFECTED PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY WITH RESPECT TO PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province

Copyright © 2013 Trex Company, Inc.

40

TREX ELEVATIONS® LIMITED WARRANTY

Trex Company, Inc. ("Trex") warrants to the original purchaser ("Purchaser") that, for the period of time set forth in the following sentence, under normal use and service conditions, Trex Elevations® steel deck framing components shall be free from material defects in workmanship and materials and will not become structurally unfit, which is defined as corrosion causing a perforation of the component. The term of such warranty shall be twenty-five (25) years from the date of original purchase for a residential application, and ten (10) years from the date of original purchase for a commercial application. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective item or refund the portion of the purchase price paid by Purchaser for such defective item (not including the cost of its initial installation).

For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

Salt Water Applications – Trex Elevations® may not be installed within 3,000 feet of any body of salt water due to increased risk of corrosion. Any such installation shall void this limited warranty.

Other Water Applications – Trex Elevations® may not be installed under the surface or within the splash zone of any body of fresh water due to increased risk of corrosion. Any such installation shall void this limited warranty.

THIS LIMITED WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE TREX PRODUCTS OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.
Customer Relations
160 Exeter Drive
Winchester, VA 22603-8605

Trex does not warrant against and is not responsible for any condition attributable to: (1) defects caused by improper installation or decay caused by fasteners; (2) use of Trex products beyond normal use or service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) corrosion caused by factors other than environmental or atmospheric processes; (4) failure to strictly abide by Trex Elevations® standard maintenance practices, as described

below; (5) movement, distortion, collapse or settling of the ground; (6) any act of God (such as flooding, hurricane, earthquake, lightning, etc.); (7) improper handling, storage, abuse or neglect of Trex Elevations® products by Purchaser, the transferee or third parties; or (8) ordinary wear and tear.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY WITH RESPECT TO DEFECTIVE TREX ELEVATIONS® PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.


Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

TREX ELEVATIONS MAINTENANCE REQUIREMENTS:

- **1. Observation:** During construction, inspect all components for exposed steel, and cover the exposed area with Trex approved touch up paint in accordance with the Trex Product and Installation Guide. (Trex does not warrant touch up paint due to application variability.) Covering exposed areas with Trex approved touch up paint blends the blemishes into the same unique color of the components.
- **2. First Maintenance:** Defined as the physical inspection of components in search of corrosion. Atmospheric and environmental conditions can affect the longevity of Trex Elevations®. Densities of air borne pollutants in certain atmospheres require adjustments in the maintenance and inspection schedules. You should conduct first maintenance within six (6) years after installation for a residential application and four (4) years after installation for a commercial application. If corrosion is identified, immediately begin corrosion management practices.
- **3. Inspection Schedule:** After first maintenance, Trex Elevations components must be inspected for structural integrity every two (2) to five (5) years for a residential application and every two (2) years for a commercial application. Integrity is inspected by tapping along the surface area of the components with a metal tool such as a screwdriver. If flaking of the exterior coat occurs or discrepancies of sound are heard, immediately begin corrosion management practices.
- **4. Corrosion Management:** Sand any affected areas to twice the size of the corroded area with 80 grit sand paper. Reapply Trex approved touch up paint to the sanded area.

Copyright © 2013 Trex Company, Inc.

decking & railing color palette





FRAMING | DECKING | RAILING | LIGHTING | FASCIA | STORAGE | FURNITURE | PERGOLA | DRAINAGE

FIND US ON













Visit trex.com or call 1-800-BUY-TREX